

OK / OM DX Contest Rules 2001

The Czech Radio Club (CRC) has the honour to invite amateurs all over the world to participate in the annual OK / OM DX Contest.

1. **Contest period:** The second full weekend in November, UTC 1200 Saturday to 1200 Sunday (10.-11. Nov 2001, 9.-10. Nov 2002, 8.-9. Nov 2003, 13.-14. Nov 2004).
2. **Mode:** CW only.
3. **Bands:** 1.8 through 28 MHz, except WARC bands.
4. **Categories:**
 - a) Single operator high power - all bands, output power limited to maximum licensed amateur power in the country of the entry (SOAB HP)
 - b) Single operator high power - single band high, output power limited to maximum licensed amateur power in the country of the entry (SOSB HP)
 - c) Single operator low power - all bands, output power shall not exceed 100 watts (SOAB LP)
 - d) Single operator low power - single band, output power shall not exceed 100 watts (SOAB LP)
 - e) Single operator - QRP (output power shall not exceed 5 watts, all-band only)
 - f) Multi operators, single transmitter (MS) - all bands, output power limited to maximum licensed amateur power in the country of the entry
 - g) SWL - an entrant may not be the owner of a license for transmitting on HF bands
- DX cluster support is allowed for all categories. Single operator can take part in several categories (e. g. SO AB & SO 20m & SO 80m). In this case, it is necessary to send a separate summary for each category. For MS: The minimum time to call CQ on a band is 10 minutes. A quick band change in order to work new multiplier is allowed - it is OK to work one station and return to the main band.
5. **Making QSOs:** OK/OL/OM stations contact non OK/OL/OM stations only. Non OK/OL/OM stations contact OK/OL/OM stations only. A station may be worked once per band.
6. **Exchange:** OK/OL/OM: RST + district abbreviation (e. g. 599 BPZ). Non OK/OL/OM: RST + progressive QSO number starting with 001.
7. **Multipliers:** OK/OL/OM: prefixes following WPX rules on each band. Non OK/OL/OM: districts on each band.
8. **QSO points:** Foreign (non OK/OL/OM) participants from EU countries (use CQ WW rules for continent) earn 1 point for QSO with any OK,OL,OM stations. Foreign participants from DX countries earn 3 points for QSO with any OK,OL,OM stations. OK/OL/OM stations earn 1 point for QSO with EU and 3 points for QSO with DX stations.
9. **Score:** The final score is the sum of QSO points from all bands multiplied by the sum of multipliers from all bands.

10. **Rules for SWLs (non OK/OL/OM):** Each correctly logged QSO (date, UTC, band, call-sign OK/OL/OM, district, call-sign non OK/OL/OM) per band counts 1 point (EU SWLs) or 3 points (non EU SWLs). SWL multipliers: OK/OL/OM districts on each band. Each OK/OL/OM stn may be counted only once per band.
11. **Logs:**
 - a) All logs must contain the following data: date, UTC, band, call-sign, transmitted exchange, received exchange, multiplier (only when first time worked), QSO points for each contact. SWLs log date, UTC, band, call-sign OK/OL/OM, district, call-sign non OK/OL/OM, multiplier (only when first time heard), points for each contact.
 - b) Logs must be sorted in chronological order, regardless of band of operation. All-band entries submit a single log of all QSOs. Single-band entries submit one log per band. **In case single-band entrant submits an electronic log, a single log is required with QSOs from all used bands and in the summary clearly designate category or all claimed categories.**
 - c) A summary sheet including used call-sign, all relevant data needed to calculate final score, description of equipment, power output, full name and address in block capitals and signed statement of compliance must accompany each log. In case the log is submitted on a disk, a paper summary sheet is necessary. **If an entrant submits an electronic log, duplicate contacts, QSO points, and multipliers will be calculated automatically by the sponsors.**
 - d) Every competitor who used computer logging is required to submit a electronic log (computer file). We strongly recommend you submit the Cabrillo file created by all major logging programs. If Cabrillo is unavailable, then submit a summary sheet and your log in plain-text ASCII (two files). Every logging program has the option of producing an ASCII text log. Examples of the ASCII log file names of the three most common logging programs are the following: e. g. OL5Y.CBR (Cabrillo), OL5Y.DAT (N6TR), OL5Y.ALL (CT), OL5Y.PRN (NA), OL5Y.LOG (SD). Acceptable submissions can also include all other fixed-column ASCII formats. Be sure to put used call-sign in the "Subject:" line of each message and name the files by used call-sign. Any electronic log is always better then paper log!
 - e) **We strongly recommend submission of logs via e-mail.** Your e-mail log will automatically be acknowledged by the server and entrants will be informed about process of log-checking.
 - f) **Log Deadline:** All log entries must be postmarked by December 15th.
12. **Penalties:** For QSO errors (broken calls, bad exchanges) and QSOs which do not appear in correspondents log. Two times the QSO points for such QSOs will be deducted. 10% or more bad contacts or violation of contest rules shall result in dropping the participant from the classification.

- 13. Disqualification:** Violation of contest rules, unsportsmanlike conduct or taking credit for excessive unverifiable QSOs will be deemed sufficient cause for disqualification.
- 14. All decisions** of the contest committee are final.
The contest is sponsored by Czech Radio Club (CRC), member of the IARU.
- 15. Awards:** The participants will be awarded in three divisions: OK/OM, EU and DX. In each division and each category will be awarded to the top 50% of entrants. From all entrants will be allotted 10 entrants (random selection) who will get T-shirt with contest logo. Plaques will be awarded to the winners of the categories, and if they make at least 73 QSO in single band category, 200 QSO in QRP or 400 QSO in all band category. The list of awards and their donors is still updating (look at <http://www.radioamater.cz/okomdx/>) and a lot of categories are still without donors. If you are interested to promote this contest then write to contest committee (e-mail: okomdx@radioamater.cz).
- 16. Mailing address:** Martin Huml, OK1FUA/OL5Y, Radioamater magazine, Vlastina 23, 161 01 Praha 6, Czech Republic. E-mail: okomdx@radioamater.cz.
- 17. Home web page:** <http://www.radioamater.cz/okomdx/>
- 18. Logging programs** which support OK/OM DX Contest: TRLog (N6TR, www.qth.com/tr/) and Super Duper (EI5DI, www.ei5di.com, free). There is also possible to use CT (K1EA, www.k1ea.com), NA (K8CC), WriteLog (K5DJ, www.writelog.com) or others and use setup for IARU HF Championship.

Results 2000 notes

Log checking software: Zdeněk Čebek, OK1DSZ
Contest Director: Martin Huml, OK1FUA / OL5Y
Error logs for all electronic submissions: ask to okomdx@radioamater.cz
RČÍ abbreviation: R - see "Station descriptions", C - see "Comments"
Lí or Lî abbreviation: E - e-mail or disk, H - handwritten, !!! - printed, not provided data

Logs

Learn how to create Cabrillo logs. Even "standard" programs such as TRLog or CT can produce their native data files with different content depending on their configuration.

- If you use one of the well known contest log programs such as TRLog, CT or SuperDuper and submit their native data files, do not try to edit these files. All data files are imported into database by utilities dedicated to all these logging programs. If you corrupt expected format of data files, import procedure would probably fail and all your changes will have to be removed.
- If you really need to edit your log or if you are rewriting your paper log into computer, please, use only editors working with plain text files. If you use programs like MS Word, do not forget to save your file as a plain text, never use MS Word's native format DOC. The worst case is if you put all your QSOs into a table in an MS Word document. If you do not have any other choice than using MS Office, then a MS Excel table is.
- A lot of stations entering SOAB and several SOSB categories have submitted separate logs for each band. Better way is to submit one big log covering all bands and several summary sheets.
- Check your logging software carefully. Some of you have lost points because of error in call-sign where this call-sign was longer than 8 characters. For example PT2/KC2BA instead of PT2/KC2BAA. I am afraid that their SW cut longer call-sign to 8 characters.

- Check time on your PC and offset between your local time and UTC in your logging software setup.

Frequent errors

- Error in the call-sign. Pay attention to your VOX delay. If it is too long, you will not be able to hear the first dot of caller's call-sign, or the first dash will be shorten to dot. So, you will log UA9 instead of KA9 etc. If you are on non-OK/OM side of this particular contest, it is probably not so important, but the CQ WW is only two weeks later.
- A lot of mistakes are visible simply by eye. Have you ever worked an S41 or SH8? Probably not, but SV1 or S58 are quite common.
- Listen carefully to the exchange. Yes, your logging program is offering exchange received in previous contact on another band, but what if it is wrong? In several cases some stations logged the same district for an OK/OM station three times on three different bands but this district was wrong.
- Valid contact requires to receive valid exchange. If the rules say exchange is RTS+nr, then RST+US state is not valid exchange.

Other

If you look at the results, you can see also the percentage of lost QSOs and the total score reduction. At the first sight seems that the non OK/OM ops are more accurate than the OK/OM ops. But you can't compare these numbers, because the conditions on these two sides are different:

- OK/OM ops are running 99% of the contest, non OK/OM ops are S&P 99% of the contest. The probability of an error is higher when you run a pile-up than if you S&P.
- Non OK/OM ops work only OK/OM stations so they know nearly 50% of a call-sign prior even hearing single dot of it. OK/OM ops are called by stations from the whole world, so the probability of a call-sign error is higher.
- To catch a fixed district code is easier than to catch a serial number.

All Bands Categories

74	OK2EQ	25 397	201	109	20	8	10,0%	16,2%	14	86	68	33	0	0	E	
75	OK8DCF/P	25 200	180	105	23	7	12,8%	15,7%	0	32	60	26	34	28	E	R
76	OL7HC (OK1HC)	24 753	176	111					3	42	2	90	32	7	H	R
77	OK2BWJ	24 310	205	110					5	85	41	80	0	0	H	R
78	OK1KAK (OK1HC)	19 206	152	97					3	49	0	58	30	12	H	R
79	OK5JDC	14 760	136	82	9	5	6,6%	10,7%	0	62	40	34	0	0	E	R
80	OK2PSA	12 986	135	86	23	11	17,0%	23,5%	24	68	13	16	14	0	E	R
81	OK1DSZ	10 880	132	80	0	0	0,0%	0,0%	81	1	50	0	0	0	E	R
82	OK2DU	10 428	114	79	14	9	12,3%	19,4%	0	0	16	59	39	0	E	
83	OK1HC	5 415	76	57					3	23	13	17	13	7	H	R
84	OK1ZMS	5 145	63	49	8	5	12,7%	19,9%	0	0	0	0	33	30	E	R
85	OM6TX	4 134	72	53					0	33	10	18	11	0	!!!	R
86	OK1SRD	3 900	72	50	30	18	41,7%	47,4%	4	8	28	31	1	0	E	R
87	OK1AAZ	3 520	53	44					0	20	5	20	8	0	!!!	R
88	OK2VP	2 418	44	39	7	6	15,9%	22,1%	0	0	0	38	0	6	E	R
89	OK2RN	1 496	26	22	1	1	3,8%	8,4%	0	0	0	16	7	3	E	
90	OK1XAV	880	24	22					1	13	0	0	6	4	H	R
91	OK1RV		80	8	1	1	12,5%	19,2%	0	6	2	0	0	0	E	R
Multi ops.		Score	QSOs	Mults	-Qs	-Ms	-%Qs	-%Sc.	160	80	40	20	15	10	<i>Log*</i>	<i>RC*</i>
1	OK5W OK1AEZ, OK1CF, OK1FKD, OK1JKT	816 408	1234	348	89	16	7,2%	11,4%	8	161	266	330	316	153	E	R
2	OL5Q OK1FFU, OK1HRA, OK1FLC	587 291	1077	307	109	22	10,1%	13,7%	20	176	234	297	157	193	E	R
3	OK1KSL	485 144	1006	298	110	15	10,9%	14,0%	25	156	220	229	198	178	E	
4	OL2A OK2PDK, OK2HBY, OK2PEM	477 448	939	296	72	12	7,7%	11,3%	16	141	195	303	179	105	E	
5	OK1KZD OK1TO, OK1EF, OK1XU, OK1FUI	456 660	974	295	77	21	7,9%	14,5%	12	173	229	264	177	119	E	
6	OK2UAS OK2LW, OK2BVG, OK2BGK, OK2PJS	404 118	905	286	77	14	8,5%	13,0%	37	151	236	210	136	135	E	R
7	OL7R OK1XUV, OK1WMV	381 364	931	268	115	19	12,4%	14,3%	48	153	263	203	176	88	E	
8	OL1C OK1AN, OK1IEC, OK1TIC, OK1IPS, OK1FPQ, OK1XPH	321 594	862	247	84	20	9,7%	15,2%	21	158	215	190	143	135	E	R
9	OM3VSZ OM8FF, OM3WZ	286 836	732	246	165	36	22,5%	28,5%	26	103	250	158	80	115	E	
10	OL7W OK1DUT, OK1FUT, OK1VBA	216 506	549	206	63	14	11,5%	14,9%	0	44	127	129	133	116	E	R
11	OK2KYC	210 784	655	224	21	2	3,2%	4,2%	19	125	145	155	130	81	E	R
12	OM3KZA OM6FN, OM3CUG, OM3YDX, OM3TPN, OM6TC, OM2ZZ	210 240	686	219	33	8	4,8%	7,8%	27	53	183	241	132	50	E	R
13	OK2KRT OK2BJS, OK2BUZ, OK2XA, OK2MJ, OK2CVA	156 919	589	203	52	10	8,8%	12,3%	26	145	143	162	98	15	E	
14	OL7C (OK1FKV)	120 668	546	194	41	9	7,5%	12,2%	0	132	162	223	28	1	E	
15	OK1KCF OK2-5485, OK1KZ	44 744	264	119	12	5	4,5%	7,9%	1	57	99	44	32	31	E	R
17	OK1KCP	32 880	217	120	7	3	3,2%	6,9%	12	30	52	74	48	8	!!!	R
18	OK1KCY	31 935	210	119	5	2	2,4%	5,1%	0	0	0	0	0	0	H	R
QRP		Score	QSOs	Mults	-Qs	-Ms	-%Qs	-%Sc.	160	80	40	20	15	10	<i>Log*</i>	<i>RC*</i>
1	OK1FSM	39 808	265	128	11	3	4,2%	6,2%	0	80	48	66	49	22	E	R
2	OK1DVX	27 920	290	80	16	3	5,5%	8,8%	6	69	0	161	62	8	H	R
3	OK1DEC	15 548	161	92	0	0	0,0%	0,0%	5	32	35	70	14	5	H	R
4	OK1DSU	14 356	156	74	0	0	0,0%	0,0%	22	37	27	23	40	7	H	R
5	OM3TKR	9 490	104	73	7	3	6,7%	8,9%	0	25	0	52	27	0	E	R
SWL		Score	QSOs	Mults	-Qs	-Ms	-%Qs	-%Sc.	160	80	40	20	15	10	<i>Log*</i>	<i>RC*</i>
1	OKL329 (Vladislav Kvapil)	35 760	220	120					0	0	0	0	0	0	E	R

* Log abbreviation: **E** - e-mail or disk, **H** - handwritten, **!!!** - printed, not provided data,

* RC abbreviation: **R** - see "Station descriptions", **C** - see "Comments"

Checklogs

3W2LWS, 4X/OK1DTP, 9A2TN, DF8CS, DK3OI, DL0ERZ/P, DL1DQW, DL1NFC, DL3RAD, DL7USW/P, EA3AAW, F5NQL, G2DAN, G3KNU, GW3NJW, HA1AS, HA3PT, IK4WMH, IZ0CVK, IZ5BAM, JE3WVA/3, K0COP/4, K0DEQ, K2NV, K2TV, K3SX, K4AMC, K9QVB, KK4XL, LA1YE, LY2OX, LZ1VQ, N4ZR, N9TH, OK1DDO, OK1DKO, OK1EE, OK1HGM, OK1ISB, OK1MZM, OK2FD, OK2PO, OK2RZ, OK2YZ, OL1JDC, OM0TT, PA5TT, PY2SP, S57DX, SM2SCK, SP1RKB, SP2AVE, SP2IHG, SP7ENU, UT0IF, UT5UQV, VA3RU, VE3VA, VE7CV, W2WI, W4SKW, W7OM.

Comments

English

DF4ZL: My PA was broken, so I had only 100 watts but very much fun. CU in 2001.

DL1CW: Nice to meet a lot of friends every year in this contest! See you sure next year as well.

DL1TH: Tnx fr ufb contest!

DL5CL: Nice contest, sorry had not enough time to stay longer, see you all next year.

DL5KUD: Very fine. Good conditions. Thanks to all picked up my weak signals.

DL7AQI: Tnx fer the nice Contest. Had a lack of time, but could work more than 40 districts. See you next year!

EA4BWR: I Congratulate You For Beautiful Competition. I Have Passed It Frankly Well The Frequency Of 80 Mts You Doesn't Carry Hi Hi, I Wait For You All The Year 2001. Very Grateful.

F5NLX: It's good contest, I am very happy each year to contact OK stations.

G0MRH: Enjoyed The Contest And Meeting So Many Ok OI Om Stations. Hope Join In Again Another Time And Make More Contacts. Thanks For Organising The Contest.

G0MTN: Good contest!

G3AEZ: Good contest, tolerant operators, enjoyed the Contest.

G3TJE: Tks For Nice Contest - Hope Cu Next Year!

G3VQO: Only a small entry once again, but a very enjoyable contest.

GM3CFS: Thanks nice certificate for 1999 contest. Congratulation on your very fine results booklet wonderful, with list of equipment used by competitors and info on OK/OM disritcts. I think this must be the best results booklet from any radio society.

GM4SID: First time on this contest. Thoroughly enjoyed it.

HA6VA: Checked by HA5JJ/7, HA Contest manager.

I2WIJ: Good Contest but only few hours to spend at night!

IK4DCS: Happy to partecipate at this contest: I hope copy you in ARI International 2001!!

JQ3UDL: The condx on 10m was better compared to last year. As I noticed a pile up in Western Sahara at the best condx time for the contest, I made a pause for the contest and tried to join a pile up. But it ended up in failure and lost points for contest.

K0DEQ: I always enjoy making some contacts in your contest. The OK/OM hams are very good operators.

K8ND: Enjoyed the activity! Plenty of OK/OL/OM stations on 40 meters to keep me going for the limited period I had available to participate.

K9NW: Only a short time to participate...maybe more next time.

KP3YL: YL Station.

LA2HFA: That's nice contest, good condx and many OK/OM active all bands. I've scored some of them 6 bands during the contest. Some confusion for many was triple OK stn (1 op 3 call-signs, I get it hi!).

LY1DR: I really enjoyed these 8 hours on the air.

LZ4JO: Tks For The Nice Contest. Cu Agn Next Year.

N4AF: Tu Another Fb Contest.

N6ZZ: Good activity, good conditions on the high bands!

OL5Y: LY2FE/QRP on 160m one of the biggest EU signals.

ON6TJ: Short Distance For 40M, But A Real Pleasure To Participate. I Hope Come Back Again In 2001. My Age Is 65 Years Old.

PA2DGR: I enjoyed the contest very much and will be competing next year again.

PA5TT: Lot of good operators in OK and OM land!

RU4WE: Tks 1999 ok/om results, hope ok/om 2001!

SM2EZT: Nice test, many OK/OM stations aktiv.

T92M: For the first time in this contest, think very good, I like contests with only cw mode. Sure, see you next year.

TF/W8HFY/M: This is the first contest to which I have ever submitted a log (licensed since 1955). My participation in the OK-OM DX Contest 2000 was dedicated to the memory of OK2BDI, Gerhard Schleider, now a silent key. Gerry and I met one time on the air perhaps ten.

US6EX: TNX! GL! 73!

VE1KB: This is one of my favorite DX contest - keep up the good work.

VK5GN: Conditions not really very good. CW got me through! Thanks for running the contest.

W1END: 10 meter band was very active. Had good time.

W2CVW: Good contest! OK/OL/OM OPs great!

YO9GZU: 17 years old operator.

YU7SF: This is my 42nd OK and OK/OM DX Contest and my 2249th contest log entry at all.

» eötina, Slovenötina

DH2URF: Překn" závod - dostatek OK, mimo OM. Bohužel nemám TX.

OD5/OK1MU: Díky všem OK/OM call za QSO. Na 160m jsem neslysel ani jednu call,SRI. Na 80 metrech mela moje antena /nebo spis jeji zbytek, hi/ PSV 1 : 4, takže kazde QSO byl mensi zazrak. Od 40m vyse jiz vše fungovalo jak melo a specialni dik patri vsem, kteri jste se na moji prosbu praladili i na jine pasma. Opet se nasly 2 OK stanice, ktere predaval NR misto okresu a i pres moji snahu jim to velice pomaly CW vysvetlit, se radeji po chvili odmlcely s temito call jsem QSO nelogoval. Skoda jiz klasicky male ucasti OM call. I presto vsechno to byl prijemny i kdyz vice

než unavny zavod a dosavadni rekord v kategorii SOAB se opet povedlo zlepšit. Oproti lonsku je v mem logu 229 ruznych OK/OM call , coz je o 10 vice než loni. Celkem jsem pracoval s 99 ruznymi okresy OK/OM. Vsechny QSL budou opet vyřizovany OKDX Nadaci, takže sve QSL listky posilat nemusite a QSL obdržite automaticky.

OK1AIR: Bohužel jsem omarodil, tak to je spěšný závodník, nekontestován. Vzpustil jsem noc a PA ani nezáplňal Hí...

OK1DSF: Prima zavod. Hodne stanic a okres CPI jako nasobic kde jsem byl sam mi umožnil jet hodne na vyzvu, az jsem se nechal unest a zapomnel na 15m. Uz se tesim na pristi rok.

OK2QX: bd condx on 21, 10 ... pouze 8 hodin prace (soucasne SSB FIRAC contest).

OK2ZC: Jen par poznamek k zavodu: OK1RI ma asi moc dobrej CW filtr, sedl si 250Hz od mne a nevadil jsem mu, OK2HBR vola kde se mu zlibi. Cekal jsem vice W a VE stanic, hlavne mne zklamalo, ze rano za svitani prestal byt tento smer vyzivny, jen 1x JA bida, pomerne dost UA9, UA0. Jinak to docela slo, jako maly zahrati na CQ WW CW.

OK5TFC: Porucha PC a nasledne premistení horko/tezko ziskanych dat do druheho PC mne bohuzel pripravilo o kontrolu DUPE ve zbytku zavodu (vuci prvni casti dat) - DUPE soubor je velky jako zavodni denik...

OL4M: Mel jsem problemy s tcvrem, takže na zacatku 4 hodiny mezera! Pak jsem to uz asi nemohl dohonit, když tam byli takovi borci, jako napriklad OK2ZC a ostatni. Tak snad boj o celo hodnoceni na SB7 az priste. Ok/Om/DX/contest se jel 11. a 12.11., 14.11. mam 74.narozeniny, hi! Hlava sediva, ale chut do kontestu neubyva.

OL8M: Letos byly aspoú trochu lepö podminky, takže se dalo pracovat i se 100 W. Přestože mém za to, že mě j v "sledek je velmi dobrý" (s ohledem na moje ubohou řeku vybavení osobní se mi nelíbí, že není kategorie do 100 W, protože i když byl vydržen CQIT skoro celý závod, přece jen jeho signál neoslíbil stanice, které se závodu z Eastněn hodou". Prostě stanice m s 1 kW se nedokonkuovat a to hlavně na spodních posmech. Ale na druhou stranu jsem

"závodník", který chce udělat co nejvíce QSO a jet jedno pásma v naøem závodě se mi nezdobrý - už zaveden taková kategorie jsem kritizoval. Nehled na to, že naøí "specialitou" je, že mohu závodit najednou i v osmi kategoriích a to je něco, co nemám obdobny. Je to proto, aby v sledková listina byla plná, nebo očekává?

Nikde na světě není pořadatel, když vymyslel podmínky, že všechni pracují proti jeho zemi, aby pro své stanice vymyslel SO-SB. Spíše bych navrhoval udělat kategorie podle hodin provozu v závodě např. 24, 12, 8 hodin. Již sedm let se z EastÚji OKDX contestu podle této podmínky (nokolik let se dalo pracovat i SSB) a pomalu si říkám, že je to jen a jen pletení elektriky. Rozhoduje v konci a v druhém dechu vysílat v zvuk. Jen můlo je to o taktice. Snad by se dalo říci, že řešení by asi mělo jen volit správný. Asi by závod prospělo, když také platila QSO mezi OK a OM a násobi. Byly by byly i okresy OK a OM. To by řešení asi nutilo také oběas proladit poslání a hledat, protože tříčinné násobi. Bylo hodně a nebylo bych závislý jen na tom, kdo mne zavolá. Myslím, že by se KV skupina měla nad tím trochu zamyslet. V úvědění poslání nenavrhuji mít podmínky jako takové. To úvěděnímu závodu na popularitu nepřidá. Ale pro OK stanice bych změnu navrhoval.

OM5AW: Ahoj, podmienky boli veľmi premenlive, spojenia boli niekedy doslova vydrete, ale vcelku som spokojny s vysledkom. Zdalo sa mi, že sa zavodu zúčastnilo malo stanic, ale je mozne, že je to moj subjektívny nazor.... Trosku ma sem-tam nastvalo, ked niektoré stanice OK bez predchadzajuceho upozornenia v mojom nedokoncenom QSO zacali davat vyzvu, ale to bolo asi tym, ze s mojim vykonom by som mohol ist aj kateg. QRP...hi. Najsilnejšie signaly na viacerich pasmach mali u mna OK1RI, OK1KSL, OL4M, OK5W - poradie podla sily... ale vcelku slusny zavod, takže sa tesim na vysledky...

RZ9AWK: Txn pekny contest a teshime se na uslyshenou! Hodne zdravi a DX!

SV/OK1YM: Pekny zavod, skoda jen ze se ho neucastni vice OM stanic.

Station descriptions

(alphabetical order)

3Z3LPR: TS530S, 70W, Delta loop 7MHz, 5el. YAGI 28 MHz

4L7AA: 40W, GP

4Z4TA: TS440S, Pyramide 7mc

9A5Y: FT1000MP+PA, 1000W, PRO 67B, INV.VEE

9K9C: 300W, 4el (10), 13-el. logperiodic (15/20), inv V (80/40)

DA0SZB: FT707, 100W, FD4

DF2HL: TS570D, 100W, dipole @ 8m

DF4ZL: TT Omni IV, 100W, 3 Ele Yagi / Dipol

DF6LQ: TS850, 100W, 15m Quad Loop (201510) 10m up, 2x20m

Inv Vee (8040) 15m up

DH2URF: ATS803A, LW 40m

DJ0MDR: IC761, 100W, GP 22m

DJ3XD: IC765, 100W, 4 el. YAGI, dipole inverted groundplane

DJ5GG: TS850, 100W, 160+80+40 FD4 + KLM 4El.beam

DJ5QK: TRX, 5W, dipole

DK5ZX: IC746, 100W, 5band-GP

DL1ARJ: FT1000MP, 100W, dipole

DL1AWC: IC735, 100W, W3PZZ 8m, NN500m

DL1CW: IC706MKII, 100W, GP (R7000)

DL1LAW: 5W, Windom, 160m: wire 40m long

DL1LSZ: TS870, 10W, W3DZZ, vert. R6000

DL1TH: TS950SDX, 150W, W3DZZ

DL2BWM: 100W, magnetic loop indoor

DL2HWX: 100W

DL3JVN: FT890, 100W, magnetic loop + delta loop

DL3KVR: Home made, 5W, GP; HB9CV (28 MHz), 300 Ohm-Windom	HA8VK: TR7, Slooper, dipol, 2el Quad	LZ2PS: 40W, dipole
DL4JYT: TX, 80W, dipole	HB9/F6FNL: ICM700, 100W, 13 el Log Periodic Hy Gain	LZ2RF: UW3DI, 350W, 2el Quad
DL5ANS: Home made, 2W, DELTA LOOP, dipol	HB9AYZ: TS570D, 5W, Dipoles/Vertical	LZ4JO: IC728, 100W, 4 elem. Yagi
DL5CL: 5W	HP1AC: TS430S, Mosley TA-33Jr - Dipole	LZ6C: TS830S, 80W, 3el. YAGI
DL5DBH: FT980, 100W, GAP titan DX vertikal	I5OQV: TS940S, 100W, vert. R7000 7 bands 10/40m	M0EEE/P: FT1000MP, 100W, Full size G5RV
DL5KUD: 80W	IK1RQQ: IC761, TH3JRS, Sloper	OD5/OK1MU: TS940S, 750W, 10m 4el, 15m 5el, 20m+40m LP, 80m Delta Loop
DL5NA: TS950, 750W, GPA 404 + G5RV	IK4DCS: TS850SAT, 100W, DELTA LOOP 10-15-20, rotary dipole 40 mt, sloper 80/160 (ALL HOME MADE!!)	OE3BCA: FT301S, 12W, dipol
DL5YM: IC737, 100W, 2x 20m Doublet	IK8ARJ: TS140S, 100W, vertikal KEY dipol	OH1AD: IC751A, 100W, 4 ele monoband yagi
DL6UNF: IC775DSP, 200W, Vert. (R7)	IS0IGV: IC706, 100W, vertical	OH1BOI: IC756, 100W, G5RV / R7000+ vertical
DL7AQQT: TS570, 25W, G5RV	IS0SDX: TS570D, 100W, vertical R5	OH2BLF: IC735, 100W, Quad + vertikal
DL7ET: FT900AT, 80/40 dipole, 20/15 GP	IT9GXE: FT7, 20W, vertikal	OH2YL: TT Argonaut II, 5W, 3-EL YAGI
EA2CR: 5W, L.W.	JA1AAT: TS850S, 200W, TASS DP	OH3IR: IC735, 100W, vertical, dipole
EA4BWR: TS850, 100W, dipole	JA2DHL: TS440S, 100W, 3el. quad /home made/	OH7NVU: IC735, GP
EA8/DK2HH: TS950S, 600W, 3el. Beam 10/15/20 + G5RV (80/40m)	JA2EAB/1: TS830, 50W, GP	OK1AAZ: FT707, 50W, W3DZZ
EI8IC: TR7/R7A, 80W, Delta loops, yagis	JA2KKK: FT757GXII, 100W, 3ELE TRIBANDER , INV VEE	OK1AEE: FT901DM, 80W, dipole
ES1CR: IC736, 100W, dipole	JA3HC: TS840S, 50W, 4el. YAGI	OK1AGA: FT850, 80W, Multiband dipole
EU7ZZ: 500W, 3el.	JA53278: TS820OV, Dipole 10 mh	OK1AOU: TX, 100W, YAGI, G5RV
EW1MN: TRX, 100W, GP	JA8HIO: FT1000MPMKV, 200W, 4ele YAGI	OK1AVY: TS870, 750W, 3 EL YAGI ZY33 ZACH, FD4
EW2AO: Efir M, 100W	JE2SOY: TS440S, 60W, GP	OK1CM: TS850S, 1000W, GP, HB9CV, 6el Y mono
EW2EG: 50W, LW	JH0NVX/1: FT757GX, 50W, Mobile Whip	OK1CZ: FT102, 100W, 80m LOOP, WINDOM, 2el.MINI BEAM
EW6AL: FT101E, 120W, GP	JH1PXY: IC736, 100W, Long Wire	OK1DCS: TS850, 450W, 3el.Yagi monoband 20m, 15m, 10m. vetrrical AV640 40m 10m, Delta loop 157m for 160m 80m
F2NZ/P: FT890, 100W, center feed 2x20m	JH3JYS: IC760PRO, 200W, Dipole 20m Up	OK1DEC: Home made, 3W, LW 64m, inv v 3BAND 2EL YAGI
F5JBR: TS570D, 90W, Dipole, 3el Y	JH5OXF: TS870S, 100W, 3el yagi	OK1DKM: FT101B, 100W, G5RV
F5NL: 100W, dipole	JK1LUY: IC756PROAMP, 500W, YAGI	OK1DLB: FT840, 150W, Le at loop
F6OIE: Home made, Verticale	JM2RUT: TS940S, 500W, 20mH YAGI	OK1DOL: FT840, 100W, LW 83 m, 3el. Yagi
F8UFT: IC746, 100W, Inverted-L 48m on 160/80/40m, GP (DXSR multi GP) on 20/15/10m	JQ3UDL: IC756, 100W, 4ele tri-band	OK1DSA: FT840, 100W, indoor half G5RV
G0MRH: TS870, 80W, Inv. V	JR4GPA: TS950SD, 100W, 4el Yagi	OK1DSU: Home made, 5W
G0MTN: TS850, 100W, Butternut HF6V / 3.5 MHz dipole	K2SX: FT1000MP, 1500W, Butternut HF6-V Vertical	OK1DSZ: TS570D, 100W, Dipol, G5RV
G0VQR: FT1000MP, 100W, Full size G5RV	K3TW: IC730, 5W, Zepp antenna	OK1DVX: DX70, 5W, LW41m, dipole 2x7, 5m
G3AEZ: TS830+PA, 200W, 4el. beam, R7 butternut HF2, Windom 80m	K3WWP: 5W, Wires	OK1EE: FT1000MP, 100W, trapovaný dipol ECO na 160, 80 a 40 metru
G3TJE: FT920, 100W, DELTA LOOP AT 11 M	K8ND: FT1000MP, 1500W, XM 240 2-element YAGI 24m	OK1EV: FT101ZD, 100W, dipol 2x42m, 3el. YAGI
G3VQO: FT920, 100W, LW at 5 m	LA2HFA: IC706, 95W, GP, slopers (40-10), Inv. L (160/80)	OK1FHE: RS41, 100W, INV V
G4KFT: IC775DSP, 200W, GP	LU1EVL: TS570D, 500W, 3el quadriband	OK1FHI: TS570D, 100W, 3el. tribander NOVA ECO a dipole.
GM3CFS: TS570DG, 100W, GAP TITAN VERT + 66m MACONI	LY1BW: 100W, dipole	OK1FHP: FT840, 100W, Delta Loop 84 m (80-40 m), AVT 3 (20-15-10m)
GM4SID: FT1000D, 150W, 10/15/20 = 2Ele Yagi. 40/80 = Trap Dipole. 160 = G.P.	LY2BBF: TS450SAT, 90W, W3DZZ	OK1FJD: FT840, 100W, Force12 C3S, dipole 80/40m
HA3GA: TS130SE, 90W, G5RV, GP	LY2FE: Elecraft K2, 5W, 160-20m- 200 m LW, 15m- 4 el, 10m-5 el Yagi	OK1FNJ: DX77, 100W, LW
HA6VA: FT101EE, 100W, dipol, W3D22	LZ1DQ: TR4C, 200W, 80-delta, 40-inv.V, GP, dipole	
HA8LKB: FT757GX, 100W, dipoles, 4ele YAGI	LZ1FJ: 30W, LW 20m	
HA8TI: FT277ZD, dipole	LZ1KP: 50W, Delta loop	
	LZ1NJ: TS830S, 100W, dipole	

OK1FNL: TS570D, 100W, Vertikal R7, LW	OK2HI: TRX, 100W, vertikal, dipol 2x20m	OL7W: TS870, TS850, TS180, 80m full wave loop, 40m KLM 440, 20m 5el. yagi, 15m 6el. yagi, 10m 6el. yagi
OK1FSM: IC706, 5W, G5RV, single loop 21/28	OK2HIJ: IC706, 100W, Doublet	OL8M: TS140S, 100W, GP (4010), dipole (80), LW (160)
OK1FTW: FT101ZD, 300W, LW 41m	OK2KJ: IC746, 500W, FD8	OM0AS: DX70, DELTA LOOP, dipol
OK1FV: Home made, 400W, 2el C.Q., vertikal	OK2KYC: IC746, 100W, FD4 - windom	OM1AA: IC720, dipol
OK1HC: IC728, 60W, Vertical, delta loop, dipole	OK2PBG: TS440, 100W, GP	OM1AF: 100W, inv. "V"
OK1HX: IC735, 100W, LAZY DELTA LOOP 80m, 3x 3el beam	OK2PBR: FT301D, 100W, 2el quad (10/15/20), LW 80m (160/80/40)	OM1AW: Home made, 75W
OK1JFP: FT101, 200W, W3DZZ, V, dipol	OK2PCN: IC756, 100W, Verical R5 (20/15/10), LW 80m @ 30m (160/40/40)	OM2MP: TS440SAT, 100W,2el.quad
OK1KAK: IC728, 60W, Vertical, delta loop, dipole	OK2PIM: FT840, 100W, INV VEE	OM3CAZ: TRX, 15W, G5RV
OK1KCF: 100W, dipole	OK2PJW: UW3DI, 80W, inv.v.vertikal	OM3CND: TS930S, 150W, TH3JRS, LW, vertikal
OK1KCP: FT840, 100W, Delta loop-wire	OK2PKY: FT277, 100W, dipole	OM3IAG: TS850SAT, 750W, 28/21 MHz 2 el delta loop, 14 MHz 3 el monobander Yagi, 3, 5/7 MHz Vertical FD4, 1, 8 MHz FD8
OK1KCY: FT101EE, 250W, FD4	OK2PP: FT1000MP, GP	OM3KZA: FT757GX, 100W, 3el. monoband YAGI (10/15/20), FD4 (40/80), Inv. V (160)
OK1KZ: FT707, 100W, G5RV	OK2PSA: IC706, 100W, ant. vertical, dipol, lw (1, 8MHz)	OM3PQ: TS820S, 50W, Yagi FB33, FD4
OK1MKI: FT107M, 100W, G5RV	OK2PYA: FT301S, 10W, LW 12m	OM3TKR: 1W
OK1MLP: DX70, 100W, HB9CV (10/15), Delta loop (20), LW (80/40)	OK2QX: TS850S, 100W, 80 m LW, 3 el beam	OM3YAD: IC735, 50W, 3el. YAGI
OK1MMN: FT757GX, 100W, GP8B 8m vertical	OK2SNX: FT757GXII, 100W, 35m Lw	OM4DN: IC706, 100W, Lono Wire 41 m
OK1MNV: FT840, 80W, 2x17, 5m Zeppl.	OK2TBC: TS530SP, 100W, GP	OM5AW: TS690S, 100W, 6el CQ - 28mhz, 4el CQ -14/21mhz, Zaclona -7mhz/USA, slooper special -7mhz/EU+AS, Dipol - 3.5mhz, LW41m-1.8mhz
OK1PDQ: IC756, 100W, LW 30m, UP20m	OK2UAS: TS830, 100W, 10-20m 3e YAGI, WINDOM	OM5LR: RS41, 200W, G5RV
OK1PN: TS450, 100W, 3el tribander, Delta loop	OK2VP: FT840, 100W, GP	OM5NJ: TS440SAT, 100W, dipol 65RB
OK1QM: TS850S, 100W, 2 el Quad, lw 83 m	OK2WM: IC736, 100W, Dipol 2x19, 5m	OM6TU: FT840, 250W, INV, VA ALL BAND
OK1RI: IC775DSP, 750W, 6/6/6/6 + 6/6 + 6 (10), 6/6 + 6 (15), 6el + 5el (20), 4el + dipole (40), 2el delta loop (80), LW (160)	OK2ZC: TS50, 500W, Inv.V 15m up	OM6TX: TS820, 100W, Multiband dipol
OK1RV: FT277, FD4	OK2ZI: FT1000MP, 100W	OM7PA: IC706+PA, 500W, 3ELE YAGI
OK1SI: IC706MKII, 100W, Vertical + LW 41m	OK2ZZJ: TS440, 100W, 10m HB9CV, 15m 3.el.Yagi, 40m+80m G5RV	OM7PY: TS180S, 3 EL Yagi
OK1SRD: IC706MKIIG, LW	OK5JDC: IC756, 300W, LW	OM7YC: 100W
OK1WWJ: FT747GX, 100W, HB9CV 40m high	OK5W: TS850, TS930, TR7, IC706+PA, 1000W, 160M	OM8HG: TS450S, 100W, vertik.41m
OK1XAV: TS570D, 40W, Dipol, Zeppelin 2x24m	vert.32m, 80m 5x Slooper, 40m HB9CV, 20m 5el., 15m 2x 6el., 10m 2x 6el.	OM8ON: FT757GX, dipole
OK1XC: FT890, 500W, 3el yagi	OK8ABR/P: IC706, 100W, G5RV	OM9TR: HW101, 50W, vertikal 3 bands
OK1XJ: TS820+PA, 600W, Inv.Vee	OK8DCF/P: IC746, 100W, W3DZZ	ON4CAS: TS440S, 100W, 3el tribander A3S
OK1ZMS: 100W	OKL329: ICR75, FD4	ON6TJ: TS570D, 100W, Delta loop
OK2ABU: Home made, 750W, 3band beam, dipol, vertikal	OL1C: DX77, 500W, LW(160), Inv.Vee(80), Delta Loop(40), 3el.3Band Yagi (20, 15, 10), 2x Beverage	ON7SS: FT757GX, 100W, G5RV & Inverted V 21/28 MHz
OK2BHE: 70W, LOOP	OL1JDC: IC756, 300W, LW	OZ1FAO: TS430S, 100W, GP
OK2BNC: TS850S, 100W, R 7000	OL3E: FT747PA, 600W, 3 ELY	OZ4FF: R4AT4X, dipole
OK2BND: IC706, 100W, ant. vertical, dipol, lw (1, 8MHz)	OL3X: TS830S, 500W, delta loop, 2 el. delta loop	PA0JED: 100W, GP
OK2BWC: IC728, 100W, 2el Yagi	OL4M: TS570D, 300W, LW 41m	PA0JR: TS450, 100W, Windom/FD3
OK2BWJ: TRX, 50W, INV V + LW	OL5DX: 100W, dipole	PA0RRS: TS570D, 100W, GPA30 Fritzel
OK2BZM: TS690S, 100W, LW 38 m	OL5Q: IC746, 1000W, Inv. V (160/80), sloper system (40), 4el quad @ 42m (20/15/10)	PA2DGR: HW101, 100W, Magnetic loop/inverted vee
OK2EC: TS520, 80W, LOOP, Pyramide, BEAMS	OL5TEN: TS850SAT, 100W, 2 el. yagi(HB9CV), GP+ 2x20m dipol	
OK2GG: 500W	OL5Y: IC756, 300W, LW	
OK2HBR: IC706, 400W, Loop (80), vertical (40), 3el tribander	OL7HC: IC728, 60W, Vertical, delta loop, dipole	

PA3BFH: FT1000MP, 100W, Fritz FB-506 DX (5 ele / 5 bnd Yagi) up 13 m, Dipole, up 13m	SP4AVG: TS520SE, 180W, LOOP 80 MTRS	W2CVW: TT Corsair, Cliperton, 100/500W
PT2/KC2BAA: TS940S, 100W, 17el Log.per.	SP6BAA: TS830S, 100W, dipole	W3BYX: TS530S, 300W, Hustler 5BTB Vertikal
RA0JD: TS450S, 5el Yagi	SP6CES: IC735, 100W, GP/R7	W4OEL: TS850SAT, 400W, 3el. triband YAGI 8m
RA1WJ: 75W	SP6LV: EF184, 624, 35W, delta 84m	YI9OM: TS930, 500W, Logperiodic
RA3CW: IC756+PA, A4S, 2*INV.-V., WIRES	SP6SYF: Home made, 50W, G5RV	YL2GTD: TS140, 30W, Inv. V
RA3VY: 60/200W, GP, dipole	SP7BDS: IC756, 40W, G-5RV	YL2NK: R399A, 100W, Dipole, Delta, 4el. QQ, 5el. YAGI
RA4NF: 100W, Vertical, W3DZZ	SP8AQA: Home made, 8W, DELTA LOOP-GP-4	YL2PP: Home made, 40W, Delta 156 m long
RA4UAT: Home made, 40W, Delta loop 84m	SP9KJU: FT707, 100W, DELTA VERT.42m	YO2BEH: TS850SAT+PA, HM Magnetic Loop
RA9XF: 100W	SQ2HEB: FT757GX, 100W, Inverted vee , 2el.Cubical Quad	YO4AAC: 3W, inv.v.vertikal
RD4M: FT990, 500W, TH7DX, 40- 2CD, Wires	SV/OK1YM: TS850S, 300W, 16 el. Logperiodic toward Prague	YO8-025/BC: R250, RX311, DELTA LOOP, dipol
RK2FWG: Efir M, 100W, Delta loop 40m	SV1EDY: IC756, 100W, 3el tribander A3S (10/15/20), KLM rotating dipole (40), LW (80)	YO8BGD: Home made, 300W, windom
RK3BA: 100W	T92M: TR7, 50W, dipole	YO9AGI: TS570S, 60W, G5RV
RN1AO: 100W, dipole	TF/W8HFY/M: FT100, 100W	YO9FJW: FT990, dipol yelbeam
RU4WE: Home made, 2 el dipole E/W	UA0WW: DX70S+PA, 100W, 2el Quad	YO9GZU: A412, 25W, dipole 40m
RU9CZ: IC707, 100W, i/v, GP 2Q	UA0ZDA/6: TS450SAT, 80W, Comrod Wideband Whip.	YU1BL: IC751, 500W, dipole
RV3PN: TRX, 50W, LW, Dipole	UA1-143-1: EKD300, LW	YU7SF: FT901DM, BA-105
RV4LM: FT890AT, 100W, KT34A, Rotary Dipole 40m, Dipole 40/80m	UA1CEK: 50W	YV1OB: Yaesu, 120W, Yagis & Dipoles
RV9COI: IC750AS, Delta loop	UA1ZCX: 40W, 2el. QA0R	YZ1U: TS940, dipole
RV9JR: FT890AT, 14-21-28Mhz(6el KLM monoband);7Mhz(2el HB9CV);3, 5Mhz(2el dipol)	UA2FHV: R143, 5W, LW	
RV9WB: Home made, GP, IV	UA3-170-847: RX 17 tubes, Inv.Vee	
RW0AJ: 100W, 2el. DELTA	UA4SS: 80W, Logo 7el	
RW3YA: 100W	UA6NZ: Home made, 50W, 2el.quad	
RW9LW: 200W, dipole	UA6XE: 200W, 3el. YAGI	
RW9TA: 200W	UA9AM: IC775DSP, 100W	
RX3AP: 200W, INV VEE	UA9OA: 100W	
RX9JW: 100W	UN8PF: 50W	
RZ3DX: 100W, INV FOR 3.5/7 MHz, 4 EL YAGI FOR 14MHz, 6 EL YAGI FOR 21/28 MHz	UR5HAC: Home made, 200W, DELTA LOOP, dipol	
RZ4AA: Home made, 5W, windom	UR5HJR: KRS78, 40-200W, LW- 80meters	
RZ9AWK: Home made, 180W, Rhombic	US3LX: Home made, 100W, Full size delta 160m	
RZ9WWH: Home made, 200W, 3, 5 - delta, 7+14 - 2el. dipole, 21 - 5el. Yagi, 28 - 2 over 2 QUAD	UT1FA: IC775DSP, 200W, GP, dipol	
S51RJ: 100W	UU4JN: 200W, LW	
S53EO: IC775DSP, 200W, Inv V (80/40), TH3MK3 @ 12m (20/15/10)	UX0KR: Home made, 10W, INV VEE 80m up 15m	
S58MU: TS530SP, 80W, W3DZZ (80), Vertical R7 (40-10)	UX1IL: Home made, 200W, Delta loop 160m horiz.	
SM2EZT: IC756+PA	UX3HA: Home made, 200W, i.v. + DELTA LUP	
SM6DER: 100W	UX5EF: TRX, 100W, 5band dipole	
SM7BHM: FT990, 100W	UY5LQ: 100W, W3DZZ	
SP1EYG: TS140S, 100W, Dipole	VA3TTN: FT1000MPMKV, 1000W, LW	
SP2EPV: Home made, 15W, dipol	VA3TTT: 5W, Delta Loop up 75 mtrs	
SP2ILQ: DX77, 50W, Dipol 2x19,5m	VA7TRS: 75W	
SP3AZO: Lincoln , 10W, GP	VE1KB: 100W	
SP3BOL: Home made, 4, 75W, dipole 2x10m	VE3VA: IC740, 100W, Short [10, 15, 20M] or Long [40m] Webster Bandspanner, deckmount, single radials for 40, 20, 15 10m N	
	VK4TT: TS830S, 100W, tribander	
	W1END: TS830S, 100W, Vert.HF6V	

Statistics

- 684 logs, including 432 electronic logs (63%)
- 58 paper-logs were printed on computer □ printer, data were not provided
- 194 paper-logs were written by hand
- 63 check-logs
- checked logs from 553 different stations, including 492 participants (137 OK/OL, 27 OM, 240 EU, 88 non-EU)
- 265 participants in Single Op All Bands category, 299 participants in Single Band categories
- 235 participants declared output power of 100 W (LP), 60 participants less then 50 W
- electronically verified 49058 QSOs, including 5125 QSOs (10,4%) with a error (44% bad call-sign, 48% bad exchange)

OK1 / OL Districts

Praha

APA Praha 1
APB Praha 2
APC Praha 3
APD Praha 4
APE Praha 5
APF Praha 6
APG Praha 7
APH Praha 8
API Praha 9
APJ Praha 10

Central Bohemia

BBN Benešov
BBE Beroun
BKD Kladno
BKO Kolín
BKH Kutná Hora
BME Mělník
BMB Mladá Boleslav
BNY Nymburk
BPZ Praha západ
BPV Praha východ
BPB Příbram
BRA Rakovník

Southern Bohemia

CBU »eský Budějovice
CCK »eský Krumlov
CJH Jindřichův Hradec
CPE Pelhřimov
CPI Písek
CPR Prachatice
CST Strakonice
CTA Tábor
Western Bohemia
DDO Domažlice
DCH Cheb
DKV Karlovy Vary

DKL Klatovy
DPM Plzeňský kraj
DPJ Plzeň-jih
DPS Plzeň-sever
DRO Rokycany
DSO Sokolov
DTA Tachov

Northern Bohemia

ECL »eský Lipa
EDE Děčín
ECH Chomutov
EJA Jablonec n. Nisou
ELI Liberec
ELT Litoměřice
ELO Louny
EMO Most
ETE Teplice
EUL Ústí nad Labem

Eastern Bohemia

FHB Havlíčkův Brod
FKH Hradec Králové
FCR Chrudim
FJI Jičín
FNA Náchod
FPA Pardubice
FRK Rychnov n. Kněžnou
FSE Semily
FSY Svitavy
FTR Trutnov
FUO Ústí nad Orlicí

OK2 / OL Districts

Southern Moravia

GBL Blansko
GBM Brno město
GBV Brno venkov
GBR Břeclav
GHO Hodonín

GJI Jihlava
GKR Kroměříž
GPR Prostějov
GTR Třebíč
GUH Uherské Hradiště
GVY Vyškov
GZL Zlín
GZN Znojmo
GZS Česká Lípa nad Sázavou

Northern Moravia

HBR Bruntál
HFM Frýdek - Mistek
HJE Jeseník
HKA Karviná
HNJ Nová Jičín
HOL Olomouc
HOP Opava
HOS Ostrava
HPR Přerov
HSU Ústí nad Orlicí
HVS Vsetín

OM Districts

Bratislava, prefix OM1

BAA Bratislava 1
BAB Bratislava 2
BAC Bratislava 3
BAD Bratislava 4
BAE Bratislava 5
MAL Malacky
PEZ Pezinok
SEN Senec

Trnava, prefix OM2

TRN Trnava
DST Dunajská Streda
GAL Galanta
HLO Hlohovec
PIE Piešťany

SEA Senica
SKA Skalica

Trenčín, prefix OM4

TNC Trenčín
BAN Banská nová Ves n. Bebr.
ILA Ilava
MYJ Myjava
NMV Nové Mesto n. Váh
PAR Partizánske
PBY Považská Bystrica
PRI Prievidza
PUC Púchov

Nitra, prefix OM5

NIT Nitra
KOM Komárno
LVC Levice
NZA Nové Zámky
SAL Šáľa
TOP Topoľčany
ZMO Zlaté Moravce

éilina, prefix OM6

ZIL éilina
BYT Bytča
CAD »adca
DKU Dolný Kubín
KNM Kysucké N. Mesto
LMI Liptovský Mikuláš
MAR Martin
NAM Námestovo
RUZ Ružomberok
TTE Turčianské Teplice
TVR Tvrdošín

Banská Bystrica, prefix OM7

BBY Banská Bystrica
BRE Brezno
DET Detva
KRU Krupina
LUC Lučenec

POL Poltár
REV Revča
RSO Rimavská Sobota
VKR Veľký Krtíš
ZVO Zvolen
ZAR Žarnovica
ZIH Čierne nad Hronom
BST Banská Čačavica

Košice, prefix OM8

KEA Košice 1
KEB Košice 2
KEC Košice 3
KED Košice 4
KEO Košice-okolie
GEL Gelnica
MIC Michalovce
ROZ Rožňava
SOB Sobrance
SNV Spišská Nová Ves
TRE Trebišov

Prešov, prefix OM9

PRE Prešov
BAR Bardejov
HUM Humenné
KEZ Kežmarok
LEV Levoča
POP Poprad
SAB Sabinov
SNI Snina
SLU Stará Ľubovňa
STR Stropkov
SVI Svidník
VRT Vranov nad Topľou
MED Medzilaborce

OK4-OK9... special prefixes

Alphabetical order of district abbreviation

APA	BAN	BRE	DKL	ELO	FUO	GZN	ILA	MAR	PRI	STR
APB	BAR	BST	DKU	ELT	GAL	GZS	KEA	MED	PUC	SVI
APC	BBE	BYT	DKV	EMO	GBL	HBR	KEB	MIC	REV	TNC
APD	BBN	CAD	DPJ	ETE	GBM	HFM	KEC	MYJ	ROZ	TOP
APE	BBY	CBU	DPM	EUL	GBR	HJE	KED	NAM	RSO	TRE
APF	BKD	CCK	DPS	FCR	GBV	HKA	KEO	NIT	RUZ	TRN
APG	BKH	CJH	DRO	FHB	GEL	HLO	KEZ	NMV	SAB	TTE
APH	BKO	CPE	DSO	FHK	GHO	HNJ	KNM	NZA	SAL	TVR
API	BMB	CPI	DST	FJI	GJI	HOL	KOM	PAR	SEA	VKR
APJ	BME	CPR	DTA	FNA	GKR	HOP	KRU	PBY	SEN	VRT
BAA	BNY	CST	ECL	FPA	GPR	HOS	LEV	PEZ	SKA	ZAR
BAB	BPB	CTA	EDE	FRK	GTR	HPR	LMI	PIE	SLU	ZIH
BAC	BPV	DDO	ECH	FSE	GUH	HSU	LUC	POL	SNI	ZIL
BAD	BPZ	DET	EJA	FSY	GVY	HUM	LVC	POP	SNV	ZMO
BAE	BRA	DCH	ELI	FTR	GZL	HVS	MAL	PRE	SOB	ZVO